



Contents

| | |
|---|------|
| Preface | v |
| F. Iacona, G. Franzò, M. Miritello, R.L. Savio, E.F. Pecora, A. Irrera and F. Priolo Er-based materials for Si microphotonics | 1269 |
| A. Chiappini, C. Armellini, A. Chiasera, Y. Jestin, M. Ferrari, E. Moser, G. Nunzi Conti, S. Pelli, R. Retoux and G.C. Righini Er ³⁺ -activated sol–gel silica confined structures for photonic applications | 1275 |
| S. Ohara and N. Sugimoto Bi ₂ O ₃ -based erbium doped fiber for short pulse amplification | 1280 |
| A. Peled, M. Nathan, A. Arie, A. Tsukernik and S. Ruschin Amplification from Nd ³⁺ doped Si–Ti sol–gel channel waveguides | 1284 |
| O. Péron, C. Duverger-Arfulso, Y. Jestin, B. Boulard and M. Ferrari Enhanced spectroscopic properties in Er ³⁺ /Yb ³⁺ -activated fluoride glass–ceramics planar waveguides | 1288 |
| F. Prudenzano, L. Mescia, L. Allegretti, M. De Sario, F. Smektala, V. Moizan, V. Nazabal, J. Troles, J.L. Doualan, G. Canat, J.L. Adam and B. Boulard Simulation of mid-IR amplification in Er ³⁺ -doped chalcogenide microstructured optical fiber | 1292 |
| B. Torteck, Y. Ouerdane, A. Boukenter, J.-P. Meunier, S. Girard, M. Van Uffelen, E. Régnier, F. Berghmans and H. Thienpont Transverse UV-laser irradiation-induced defects and absorption in a single-mode erbium-doped optical fiber | 1296 |
| M. Sabaeian, H. Nadgaran, M. De Sario, L. Mescia and F. Prudenzano Thermal effects on double clad octagonal Yb:glass fiber laser | 1300 |
| Y.G. Boucher, A. Chiasera, M. Ferrari and G.C. Righini Extended transfer matrix modeling of an erbium-doped cavity with SiO ₂ /TiO ₂ Bragg reflectors | 1306 |
| C. Goyes, M. Ferrari, C. Armellini, A. Chiasera, Y. Jestin, G.C. Righini, F. Fonthal and E. Solarte CO ₂ laser annealing on erbium-activated glass–ceramic waveguides for photonics | 1310 |
| M. Clara Gonçalves, L.M. Fortes, R.M. Almeida, A. Chiasera, A. Chiappini and M. Ferrari 3-D rare earth-doped colloidal photonic crystals | 1315 |
| R. Balda, R.I. Merino, J.I. Peña, V.M. Orera and J. Fernández Laser spectroscopy of Nd ³⁺ ions in glasses with the 0.8CaSiO ₃ –0.2Ca ₃ (PO ₄) ₂ eutectic composition | 1319 |
| Y. Terai, T. Tokuno, H. Ichida, Y. Kanematsu and Y. Fujiwara Electroluminescence properties of GaInP/GaAs:Er,O/GaInP double heterostructure light-emitting diodes at low temperature | 1323 |
| B. Kokuoz, C. Kucera, J.R. DiMaio and J. Ballato Organic–inorganic hybrid nanoparticles with enhanced rare-earth emissions | 1327 |
| C. Cali, F. Cornacchia, A. Di Lieto, F. Marchetti and M. Tonelli Nd:YVO ₄ crystalline film grown by pulsed laser deposition | 1331 |
| C. Mansuy, C. Dujardin, R. Mahiou and J.M. Nedelec Characterization and scintillation properties of sol–gel derived Lu ₂ SiO ₅ :Ln ³⁺ (Ln = Ce, Eu and Tb) powders | 1334 |
| D. Kaczmarek, J. Domaradzki, E.L. Prociow, T. Berlicki and K. Prociow TiO ₂ thin films doped with Pd and Eu for optically and electrically active TOS–Si heterojunction | 1337 |
| E. Cavalli, G. Calestani, A. Belletti, M. Bettinelli and A. Speghini Optical spectroscopy of Nd ³⁺ in LiLa ₉ (SiO ₄) ₆ O ₂ crystals | 1340 |

| | |
|---|------|
| G.M. Kumar and D.N. Rao Modification of the spontaneous emission lifetime of Tb ³⁺ in a binary glass | 1343 |
| J.A. Vallés, M.A. Rebolledo and J. Used Energy-transfer efficiency in Er/Yb-codoped phosphate waveguides in dynamic regime | 1346 |
| J. Domaradzki, E.L. Prociow, D. Kaczmarek, A. Borkowska, T. Berlicki and K. Prociow Structural and optical properties of terbium in TiO ₂ matrix | 1349 |
| K. Kawano, B.C. Hong, K. Sakamoto, T. Tsuboi and H.J. Seo Improvement of the conversion efficiency of solar cell by rare earth ion | 1353 |
| M. El Jouad, M. Alaoui Lamrani, Z. Sofiani, M. Addou, T. El Habbani, N. Fellahi, K. Bahedi, L. Dghoughi, A. Monteil, B. Sahraoui, S. Dabos and N. Gaumer Roughness effect on photoluminescence of cerium doped zinc oxide thin films | 1357 |
| M. Mattarelli, M. Montagna, F. Rossi, C. Tosello, N.D. Afify, M. Bettinelli, A. Speghini, C. Armellini, Y. Jestin, F. Rocca and S. Gialanella Raman and Er ³⁺ spectroscopy of hafnia single crystals and nanocrystals | 1362 |
| M. Mazzerà, A. Baraldi, R. Capelletti and M. Tonelli Electron-phonon interaction in Tm ³⁺ , Ho ³⁺ , and Dy ³⁺ doped BaY ₂ F ₈ single crystals | 1366 |
| P. Haro-González, F. Lahoz, I.R. Martín, S. González-Pérez, F. Rivera and N.E. Capuj Optical amplification in Er ³⁺ -doped fluorindate glass at 840nm and 1550nm | 1370 |
| S. González-Pérez, I.R. Martín and P. Haro-González Local devitrification on an oxyfluoride glass doped with Ho ³⁺ ions under Argon laser irradiation | 1373 |
| V. Kiisk, V. Reedo, O. Sild and I. Sildos Luminescence properties of sol-gel-derived TiO ₂ :Sm powder | 1376 |